

	L #	Hits	Search Text	DBs
1	L2	162	((forward\$4 or redirect\$4 or rout\$3) near5 (mail or message or email)) with (envelope or package or (append\$3 near2 header))) and (@ad<19980529 or @prad<19990529)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	L1	8	((forward\$4 or redirect\$4 or rout\$3) near5 (mail or message or email)) with (envelope or package or (append\$3 near2 header))) same (wireless or pager or pda or cell adj phone or palmtop or handheld or mobile or portable)) and (@ad<19980529 or @prad<19990529)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	L3	41	((forward\$4 or redirect\$4 or rout\$3) near5 (mail or message or email)) with (envelope or package or (append\$3 near2 header))) same (internet or network) and (@ad<19980529 or @prad<19990529)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L4	0	709/247.ccls. and 713.153,154.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	L5	0	709/246.ccls. and 713.153,154.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L6	148	encrypt\$4 with (email or message or mail) with (envelope or package)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	L7	10	6 same (wireless or pager or pda or cell adj phone or palmtop or handheld or mobile or portable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	L8	77	6 and (@ad<19980529 or @prad<19990529)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
9	L9	0	(encrypt\$4 near3 message near3 (host or server)) with ((sent or send\$3) near4 (recipient or destination)) with (envelope or package)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	L10	0	(encrypt\$4 near3 message near3 (host or server)) same ((sent or send\$3) near4 (recipient or destination)) with (envelope or package)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	L11	4	(encrypt\$4 near3 message near3 (host or server)) same ((sent or send\$3 or forward\$4 or redirect\$3) with (envelope or package))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	L12	317	(encrypt\$4 near5 (message or email or mail) near5 (sender or host or server)) same ((sent or send\$3 or forward\$4 or redirect\$3) with (recipient or destination or pda or portable or mobile or wireless or pager or palmtop or handheld))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	L13	252	(encrypt\$4 near5 (message or email or mail) near5 (sender or host or server)) same ((sent or send\$3 or forward\$4 or redirect\$3) near5 (recipient or destination or pda or portable or mobile or wireless or pager or palmtop or handheld))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
14	L14	181	(encrypt\$4 near5 (message or email or mail) near5 (sender or host or server)) with ((sent or send\$3 or forward\$4 or redirect\$3) near5 (recipient or destination or pda or portable or mobile or wireless or pager or palmtop or handheld))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	L15	89	14 and (@ad<19980529 or @prad<19990529)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB